


Savo Soul

SAVO SOUL CONFERENCE (UPHOLSTERED BACK 50)

Soul meeting chair / conference chair with stylish metal armrests. Soul suits many different users because the chair's settings are automatic and follow the body's natural movements. Soul with metal armrest adds adds a sophisticated style to the meeting room.



| MODEL | Savo Soul meeting chair | Savo Soul meeting chair | | |
|--------------|--|----------------------------------|--|--|
| VARIANTS | – Back 40 | – Back 50 | | |
| | – Mesh back | – Seat Small | | |
| | – Seat Medium | | | |
| ACCESSORIES | – Metal armrests | | | |
| | - Options for castors | | | |
| CONSTRUCTION | Mesh back with frame and J-bar made of recycled plastic. Upholstered back with frame made of recycled plastic and cold foam, covered with fabric. Seat frame made of plywood with cold foam padding. Mechanism in recycled aluminium. Heightadjustable steel pillar. 5-star swivel base made of cast recycled aluminum, or recycled plastic, with castors diameter 60 mm. Armrests (optional) made of bent, flat steel with upholstery pad made of plywood and cold foam, covered with fabric. | | | |
| DIMENSIONS | Height: 940-1150 mm | Width: 650 mm | | |
| | Depth: 650 mm | Seat height (with load): 400-530 | | |
| | Seat depth: 490 mm | mm Seat width: 450 mm | | |
| | Backrest W: 420 mm | Backrest H: 590 mm | | |
| | Base diameter: 710 mm | | | |
| TESTED | EN1335- 1, -2:2018, EN1728 | | | |
| WARRANTY | 10 years | | | |





Savo Soul

SAVO SOUL CONFERENCE MESH, BLACK

Soul meeting chair / conference chair with stylish metal armrests. Soul suits many different users because the chair's settings are automatic and follow the body's natural movements. Soul with metal armrest adds adds a sophisticated style to the meeting room.



| MODEL | Savo Soul meeting chair | |
|--------------|--|----------------------------------|
| VARIANTS | – Back 40 | – Back 50 |
| | – Mesh back | – Seat Small |
| | – Seat Medium | |
| ACCESSORIES | – Metal armrests | |
| | – Options for castors | |
| CONSTRUCTION | Mesh back with frame and J-bar made of recycled plastic. Upholstered back with frame made of recycled plastic and cold foam, covered with fabric. Seat frame made of plywood with cold foam padding. Mechanism in recycled aluminium. Heightadjustable steel pillar. 5-star swivel base made of cast recycled aluminum, or recycled plastic, with castors diameter 60 mm. Armrests (optional) made of bent, flat steel with upholstery pad made of plywood and cold foam, covered with fabric. | |
| DIMENSIONS | Height: 940-1150 mm | Width: 650 mm |
| | Depth: 650 mm | Seat height (with load): 400-530 |
| | Backrest W: 420 mm | mm. Backrest H: 590 mm |
| | Base diameter: 710 mm | |
| TESTED | EN1335- 1, -2:2018, EN1728 | |
| WARRANTY | 10 years | |






Savo Soul

SAVO SOUL CONFERENCE MESH BACK WITH ARMRESTS

Soul meeting chair / conference chair with stylish metal armrests. Soul suits many different users because the chair's settings are automatic and follow the body's natural movements. Soul with metal armrest adds adds a sophisticated style to the meeting room.



| MODEL | Savo Soul meeting chair | |
|--------------|--|----------------------------------|
| VARIANTS | – Back 40 | – Back 50 |
| | – Mesh back | – Seat Small |
| | – Seat Medium | |
| ACCESSORIES | – Metal armrests | |
| | – Options for castors | |
| CONSTRUCTION | Mesh back with frame and J-bar made of recycled plastic. Upholstered back with frame made of recycled plastic and cold foam, covered with fabric. Seat frame made of plywood with cold foam padding. Mechanism in recycled aluminium. Heightadjustable steel pillar. 5-star swivel base made of cast recycled aluminum, or recycled plastic, with castors diameter 60 mm. Armrests (optional) made of bent, flat steel with upholstery pad made of plywood and cold foam, covered with fabric. | |
| DIMENSIONS | Height: 940-1150 mm | Width: 650 mm |
| | Depth: 650 mm | Seat height (with load): 400-530 |
| | Total height armrest: 640-770 mm | mm Base diameter: 710 mm |
| TESTED | EN1335- 1, -2:2018, EN1728 | |
| WARRANTY | 10 years | |

