



EFG012719

EFG ONE

EFG ONE is available with either inclination adjustment or synchro adjustment.

Product info

- Adjustable seat height 400-520 mm as standard.
- Available with or without armrests. Three types of armrests available; fixed armrests that can be adjusted in width, adjustable armrests that can be adjusted in width and height, multifunctional armrest that can be adjusted in width and height and the armrest-pad can be adjusted in depth and be angled.
- Fabric covered seat.
- Fabric covered back is available in two heights, 41 and 50 cm, with backshell in plastic or fully fabric covered.
- Back also available in mesh (inc 55 cm and sync 53 cm). EFG ONE inc with adjustable lumbar support as an option and EFG ONE sync with adjustable back.
- Accessories: Headrest in mesh or fabric. Five star base in polished design (black is standard). Lumbar support for EFG ONE inc with mesh back.
- 5 castors, Ø 60 mm unbraked for hard floors, as a standard.
- Accessories five star base: Unbraked castors for soft floors, intervally braked castors for hard floors, braked castors (when loaded) for hard floors or plastic glides.
- Guarantee: 5 years liability for defects resulting from faulty design, material or workmanship.
- EFG One with mesh back complies with established criteria for furniture eco-labelling. Minor deviations may occur.

EFG ONE inc

- Seat and back follow each other in a 4:1 relationship.
- Automatic individual adjustment of tilt resistance in the back, adapted for people weighing between 45 kg to 110 kg.
- Backrest can be locked in an upright position.
- Additional other seat heights; 410-530 mm, 480-620 mm or 580-790 mm which is delivered with glides instead of castors.
- Article number ONE3100-ONE3552
- Tested according to: EN 1335-1 type B, EN 1335-2, EN 1335-3.

EFG ONE sync

- Seat and back follow each other in a 2,7:1 synchro relationship with comfort adjustment.
- Individual adjustment of tilt resistance in the back, adapted for people weighing between 45 kg to 110 kg.
- Sliding seat for easy seat depth adjustment.
- Backrest can be locked in four positions and the seat can be tilted and locked in a forward angle.
- Additional other seat heights; 440-560 mm or 510-650 mm.
- Article number ONE4200-ONE4553.
- Tested according to: EN 1335-1 type A, EN 1335-2, EN 1335-3.

Measurements

Art no	Seat height std.lift	Seat		Backrest		Armrests height from seat	Seat depth regulation	Weight
		Width	Depth	Width	Height			
ONE3100	400-520	475	450	455	550	-	440	8
ONE3101	400-520	475	450	455	550	230	440	9
ONE3102	400-520	475	450	455	550	200-300	440	10
ONE3440	400-520	475	450	445	410	-	420	8
ONE3441	400-520	475	450	445	410	230	420	9
ONE3442	400-520	475	450	445	410	200-300	420	10
ONE3450	400-520	475	450	445	410	-	420	8
ONE3451	400-520	475	450	445	410	230	420	9
ONE3452	400-520	475	450	445	410	200-300	420	10
ONE3540	400-520	475	450	445	500	-	420	8
ONE3541	400-520	475	450	445	500	200	420	9
ONE3542	400-520	475	450	445	500	200-300	420	10
ONE3550	400-520	475	450	445	500	-	420	8

Art no	Seat height std.lift	Seat		Backrest		Armrests height from seat	Seat depth regulation	Weight
		Width	Depth	Width	Height			
ONE3551	400-520	475	450	445	500	230	420	9
ONE3552	400-520	475	450	445	500	200-300	420	10
ONE4200	400-520	475	460	455	530	-	400-455	15
ONE4202	400-520	475	460	455	530	200-300	400-455	16
ONE4203	400-520	475	460	455	530	200-300	400-455	17
ONE4440	400-520	475	460	445	410	-	390-445	13
ONE4442	400-520	475	460	445	410	200-300	390-445	14
ONE4443	400-520	475	460	445	410	200-300	390-445	15
ONE4450	400-520	475	460	445	410	-	390-445	13
ONE4452	400-520	475	460	445	410	200-300	390-445	14
ONE4453	400-520	475	460	445	410	200-300	390-445	15
ONE4540	400-520	475	460	445	500	-	390-445	14
ONE4542	400-520	475	460	445	500	200-300	390-445	15
ONE4543	400-520	475	460	445	500	200-300	390-445	16
ONE4550	400-520	475	460	445	500	-	390-445	14
ONE4552	400-520	475	460	445	500	200-300	390-445	15
ONE4553	400-520	475	460	445	500	200-300	390-445	16

EFG012646



EFG011403



ONE4552, ONE910

EFG011385



ONE3450

EFG011392



ONE3552, ONE903

EFG011379



ONE3101

EFG011618



ONE4553, ONE904

EFG011617



ONE4553, ONE904