






Product info

- Seat in Navy Blue (P1), Creme White (P2), Olive Green (P3), Bordeaux (P4), Soft Black (P5) ECO black (P6) or upholstered in one colour, upjolstered in two colours or upholstered seat.
- 4-legs metal frame laquered in black (52), white (Z4), silver (62) or chrome (90). 4-legs metal frame with armrests laquered in black (52), white (Z4), silver (62) or chrome (90). Metal frame with skids laquered in black (52), white (Z4), silver (62), grey (54), cement grey (70), chrome green (71), greyblue (65), greybrown (66), purple red (67), tomato red (68), salmon pink (69) or chrome (90). Frame with five star base laquered in black (52), white (Z4) or chrome (90). Frame with five star base and armrests laquered in black (52), white (Z4) or chrome (90). 4-legs wooden frame in ash 2% white (A2), balckstained ash (AS) or natural oak (E5).
- Frame with fixed 4-metal base (ARCJ) lacquered in black (52), white (Z4) or chrome (90).
- Frame with fixed 4-metal base (ARCK) and armrests lacquered in black (52), white (Z4) or chrome (90).
- Frame with 4-metal foot cross with gas lift (ARCL) lacquered in black (52), or chrome (90).
- Frame with 4-metal foot cross with gas lift and armrest (ARCM), undressed or leather-covered in black (52), or chrome (90).
- Frame with fixed 4-metal foot and sliding foot (ARCN) lacquered in black (52), white (Z4) or chrome (90).
- Frame with fixed 4-metal base (ARCP) and armrests lacquered in black (52), white (Z4) or chrome (90).
- Upholstered seat available in one or two colours (two different fabrics from the same family).
- HR-stopping.
- The model with four legs is stackable.
- The model with armrests is suspendable on tables.
- Accessories: Felt pads for hard floors, 4-leg metal frame and sledge. Connection for metal frames with sledge.
- Guarantee: 5 years liability for defects resulting from faulty design, materials or workmanship.
- Complies with established criteria for furniture eco-labelling. Minor deviations may occur.
- Tested according to: EN 16139 level 1, EN 1728 and EN 1022.

Measurements

Art no	Total height	Seat height	Total height armrest	Total width	Total depth	Weight
ARCA400	870	450	-	555	540	5
ARCA401	880	460	-	555	540	5,5
ARCA402	880	460	-	555	540	5,5
ARCA403	870	460	-	555	540	5,5
ARCB400	870	450	-	540	510	6
ARCB401	880	460	-	540	510	6,5
ARCB402	880	460	-	540	510	6,5
ARCB403	870	460	-	540	510	6,5
ARCC400	870	450	670	595	540	6
ARCC401	880	460	-	595	540	6,5
ARCC402	880	460	670	595	540	6,5
ARCC403	870	460	670	595	540	6,5
ARCE400	855-975	410-530	-	700	700	11
ARCE401	865-985	420-540	-	700	700	11,5
ARCE402	865-985	420-540	-	700	700	11,5
ARCE403	855-975	420-540	-	700	700	11,5
ARCF400	845-965	425-545	-	700	700	11
ARCF401	855-975	435-555	-	700	700	11,5
ARCF402	855-975	435-555	-	700	700	11,5
ARCF403	845-965	435-555	-	700	700	11,5
ARCG400	845-965	425-545	625-745	700	700	11
ARCG400LA	845-965	405-525	630-750	620	620	12
ARCG401	855-975	435-555	625-745	700	700	11,5
ARCG401LA	845-965	425-545	625-745	700	700	11
ARCG402	855-975	435-555	625-745	700	700	11,5

Art no	Total height 	Seat height 	Total height armrest 	Total width 	Total depth 	Weight
ARCG402LA	845-965	415-535	630-750	620	620	11
ARCG403	845-965	435-555	624-745	700	700	11,5
ARCG403LA	845-965	415-535	630-750	620	620	11
ARCH400	870	450	-	440	530	5,5
ARCH401	880	460	-	450	530	6
ARCH402	880	460	-	450	530	6
ARCH403	870	460	-	440	530	6
ARCJ400	895	470	-	535	530	12
ARCJ401	895	480	-	535	530	12
ARCJ402	895	480	-	535	530	12
ARCJ403	895	480	-	535	530	12
ARCK400	895	470	675	535	530	12
ARCK400LA	895	480	675	535	530	12
ARCK401	895	480	675	535	530	12
ARCK401LA	895	480	675	535	530	12
ARCK402	895	480	675	535	530	12
ARCK402LA	895	480	675	535	530	12
ARCK403	895	480	675	535	530	12
ARCK403LA	895	480	675	535	530	12
ARCL400	850-955	415-520	-	530	520	12
ARCL401	850-955	425-530	-	530	520	12
ARCL402	850-955	425-530	-	530	520	12
ARCL403	850-955	425-530	-	530	520	12
ARCM400	850-955	415-520	625-730	530	520	12
ARCM400LA	850-955	415-520	615-720	530	520	12
ARCM401	850-955	425-530	625-730	530	520	12
ARCM401LA	850-955	425-530	615-720	530	520	12
ARCM402	850-955	425-430	625-730	530	520	12
ARCM402LA	850-955	425-530	615-720	530	520	12
ARCM403	850-955	425-530	625-730	530	520	12
ARCM403LA	850-955	425-430	615-720	530	520	12
ARCN400	855	400	-	530	520	12
ARCN401	855	410	-	530	520	12
ARCN402	855	410	-	530	520	12
ARCN403	855	410	-	530	520	12
ARCP400	855	400	635	530	520	12
ARCP400LA	855	400	635	530	520	12
ARCP401	855	410	635	530	520	12
ARCP401LA	855	410	635	530	520	12
ARCP402	855	410	635	530	520	12
ARCP402LA	855	410	635	530	520	12
ARCP403	855	410	635	530	520	12
ARCP403LA	855	410	635	530	520	12

EFG014707



EFG014705



EFG014702



EFG014709



EFG014711



EFG014714

