



EFG Table Selection

YOUR CHOICE

Today the workplace needs to be easily adaptable for its varying users. In any office, we should be able to change working position during the day to support our wellbeing. All of our work tables can be adjusted in height to suit individuals. As a leading provider of height adjustable sit-stand tables we know that they are the best solution for wellbeing in the workplace.

An increasingly large proportion part of our modern work day is now spent in meetings. From the traditional formal meeting to collaborative project discussions and informal social gatherings designed to encourage knowledge sharing - we provide table solutions for the many forms a meeting can take.

Choose between a large variety of shapes, designs and colours available in our table top assortment. Mix and match the tops and the frames as you wish. Equip your desk with one of our considered power and data solutions and add smart desk screens or accessories to make the workplace more organised, functional and personal.

It's your choice.

CONTENT

EFG WORKSTATIONS p. 6 | OUTLETS WORKSTATIONS p. 14 | EFG MEETING TABLES p. 20 |

OUTLETS MEETING TABLES p. 34



WORKSTATIONS - COMBINE 27 SHAPES WITH 11 FINISHES

FINISHES

WOOD - A2
ASH WHITE 2%

WOOD - B5
NATURAL BIRCH

WOOD - R5
NATURAL BEECH

LINOLEUM - D4
BLACK NERO

HPL - HV
WHITE

EDGE
S - STRAIGHT EDGE

MFC - MB
NATURAL BIRCH

MFC - ME
NATURAL OAK

MFC - MR
NATURAL BEECH

MFC - M6
LIGHT GREY

MFC - MA
ANTHRACITE

MFC - MV
WHITE

DEPTH

435 MM

1400

663110

620 MM

600

663000

800

663005

1000

663010

1200

663015

700 MM

700

663020

1200

663025

1400

663030

1600

663035

800 MM

800

663040

1000

663045

1200

663050

1400

663055

1600

663060

1800

663065

2000

663070

809 MM

1000

663135

1400

663115

1600

663120

1800

663125

2000

663130

1200/800 MM

1200

663180

1200

663175

1600

663075

1600

663080

1800

663085

1800

663090

2000

663100

2000

663105






EFG ACTIVE


EFG Active is the new generation of sit/stand workstations meeting the increased demand for flexible working positions throughout the day. The system is equipped with the latest technology, it is stable, acoustically sound, can be fitted with anti collision detection and are energy efficient. These workstations are designed to be used with RFID technology, which enable the user to book a desk, register personal preferences and save energy.

- Motor-driven metal frame with rectangular legs, thick part placed upwards (UP) or downwards (DW) on the larger frames. Also available with round legs.
- Height adjustable 640-1290 mm (HI).
- The frame has adjustable beams between 1100-1950 mm, which is suitable for table tops between 1200-2200 mm.


RECTANGULAR LEGS 640-1290 MM (HI)




ACTA20
For table top width 700-1000 mm, length 1200-2200 mm. Available UP or DW.




ACTA25
For table top width 1000/700-1200/900 mm, length 1200-2200 mm. Available UP or DW.



ACTA30
For table top width 1200-2200 mm, length 1600-2600 mm. Available UP or DW.




ACTA10S
For table top width 500-700 mm, length 800-1400 mm.




ACTA10L
For table top width 500-700 mm, length 1200-2200 mm.


ROUND LEGS 640-1290 MM (HI)



ACTB20
For table top width 700-1000 mm, length 1200-2200 mm




ACTB25
For table top width 1000/700-1200/900 mm, length 1200-2200 mm




ACTB30
For table top width 1200-2200 mm, length 1600-2600 mm.


LACQUERED FINISHES




WHITE



BLACK STRUCTURE



SILVER



CHROME




EFG IZI PRO

EFG Izi Pro is a flexible family of tables with a clean design. The frame is both height adjustable and the telescopic beams facilitate various top sizes, a practical and economical solution if changes call for a larger or smaller table. The range can be configured with numerous different table tops, sizes and finishes to suit your specific needs. Sliding table tops are ideal for hiding cables and by adding smart accessories functionality meets design effortlessly.


- Motor-driven height adjustment: 640-1290 mm (HI).
- Metal frame, rectangular, with two or three legs.
- The frame has adjustable beams between the lengths 1000 and 1800 mm, which is suitable for table tops from 1200 to 2200 mm.




SIT/STAND STROKE 650 MM (HI)
HEIGHT ADJUSTMENT 640-1290 MM



IZIPA20
For table top width 700-1000 mm, length 1200-2200 mm



IZIPA25
For table top width 1000/700-1200/900 mm, length 1200-2200 mm



IZIPA30
For table top width 1200-2200 mm, length 1600-2600 mm.


LACQUERED FINISHES



WHITE



BLACK STRUCTURE



SILVER



EFG RISE

EFG Rise is a sit/stand desk with simplicity in focus. It fulfils high demands on quality and performance, while smart office functions and additions have been limited, in favour of simplicity.

- Motor-driven height adjustment: 720-1220 mm (LO) or 640-1290 (HI) mm.
- Metal frame, rectangular, with two legs.
- The frame has adjustable beams between 1100-1500 mm, which is suitable for table tops between 1200-2000 mm.



SIT/STAND STROKE 500 MM (LO)
HEIGHT ADJUSTMENT 720-1220 MM




RISE20
For table top width 700-1000
mm, length 1200-2000 mm




RISE20
For table top width 700-1000
mm, length 1200-2000 mm


LACQUERED FINISHES




WHITE



BLACK



SILVER




EFG IZI EFFECT

EFG Izi Effect is a classical, yet flexible range of stationary T-leg tables featuring unusually generous height adjustment, from 610 to 900 mm. These tables can easily be combined with our sit/stand workstations as they have the same design in order to obtain the same look.


- Manually height adjustable between 610-900 mm.
- Metal frame with rectangular legs and T-foot.
- The frame has adjustable beams between the lengths 1050 and 1930 mm, which is suitable for table tops from 1200 to 2200 mm.




MANUAL ADJUSTMENT STROKE 290 MM HEIGHT ADJUSTMENT 610-900 MM




617415
For table top width 500-700 mm, length 800-1000 mm




617301
For table top width 730-1000 mm, length 1200-2200 mm




617317
For table top width 500-729 mm, length 1200-2200 mm,



617304
For corner table top width 1000/730-1200/900 mm, length 1200-2200 mm




617416
For table top width 730-900 mm, length 800-1000 mm



617312
For table top width 500-729 mm, length 1600-2600 mm

LACQUERED FINISHES




WHITE



BLACK STRUCTURE



DARK GREY METALLIC



CHROME

OUTLETS FOR WORKSTATIONS

In today's digital world everyone needs easily accessible power outlets in the workplace to charge our devices. We offer several integrated electrical outlets for your chosen tops, that support mixed components such as power and USB. These units are available in selected colours.

How to order

- 1. Select your preferred outlet(s)
- 2. Specify the item number for the relevant cut out (A50B98 or A50B99)
- 3. Specify the position of the cut out on the desk, using the co-ordinates as shown on the following spread.

Cut out item no. A50B98 - Ø 60 mm



QI CHARGER
BRUSHED ALU (A29H37)



POWER DOT MIDI
POWER AND CABLE ACCESS
BLACK (A50B79) · WHITE (A50B78)



POWER DOT MIDI
POWER AND USB
BLACK (A50B76) · WHITE (A50B75)

Cut out item no. A50B99 - Ø 80 mm




POWER DOT MAGIC HOLES
BLACK (A50B70) · WHITE (A50B71)



POWER DOT USB / DATA
BLACK (A50B72) · WHITE (A50B73)



POWER GROMMET TWIST ROUND
BLACK (A60B20) · WHITE (A60B21)
SILVER (A60B22)



POWER GROMMET TWIST SQUARE
BLACK (A60B23) · WHITE (A60B24)
SILVER (A60B25)



PLASTIC LID
BLACK (A30B33) · WHITE (A30B34)
GREY (A30B32)



PLASTIC LID WITH BRUSH
SILVER (A30B31)




Specify the position(s) on the outlets by using the coordinates in the grids below.
A square represents 100x100 mm.

DEPTH


435 MM





620 MM



809 MM








800 MM






Example:
A1 (A=100 mm 1=100 mm)

Example:
A11 (A=100 mm 11=1100 mm)





700 MM













DEPTH

900 MM



1200/800 MM







EFG COLLABORATE

EFG Collaborate is an exclusive meeting and project table for collaboration, communication and knowledge sharing. It supports the dynamics of project work that in turn enhance productivity and motivation and is the perfect base camp for the project team for increased participation.

- Frame of metal bars and three frame types: Wooden in ash or lacquered in anthracite.
A-shape, metal lacquered in white, silver or black.
U-shape, metal lacquered in white, silver or black.
- Table heights: 720 mm and 1030 mm.
- Available with plain top, with cable lids or cutouts with electrical inserts.

FRAME FINISHES



EDGES



STRAIGHT EDGE

A2

WOOD
ASH
WHITE 2%

B5

WOOD
NATURAL
BIRCH

R5

WOOD
NATURAL
BEECH

D4

LINOLEUM
BLACK
NERO

HV

HPL
WHITE

MA

MFC
ANTHRA-
CITE

MB

MFC
NATURAL
BIRCH

MR

MFC
NATURAL
BEECH

ME

MFC
NATURAL
OAK

MV

MFC
WHITE

M6

MFC
LIGHT
GREY

DEPTH 800 MM

1400

TC721480 | H:720

1600

TC721680 | H:720

1800

TC721880 | H:720

ROUND

1200

TC72DI12* | H:720

HOW TO SPECIFY FRAME TYPE

Wooden legs = TC721480

A-shaped metal legs = TCM721480

U-shaped metal legs = TCU721480

Add
M for A-shaped
metal frame
or
U for U-shaped
metal frame.

* U-shape metal, not available
** A-shape metal, not available

STRAIGHT or BEVELLED EDGE

S-EDGE

M6

MFC
LIGHT
GREY

MV

MFC
WHITE

B5

WOOD
NATURAL
BIRCH

A2

WOOD
ASH
WHITE 2%

D4

LINOLEUM
BLACK
NERO

HV

HPL
WHITE

H-EDGE

DEPTH 900 MM

1800

TC721890 | H:720
TC101890* | H:1030

2000

TC722090 | H:720
TC102090* | H:1030

DEPTH 1200 MM

1200

TC721212** | H:720

1400

TC721412 | H:720

1800

TC721812 | H:720

2100

TC722112 | H:720

2800

TC722812 | H:720

3600

TC723612 | H:720

4200

TC724212 | H:720

4600

TC724612 | H:720

4800

TC724812 | H:720

5000

TC725012 | H:720

5400

TC725412 | H:720

1200

TC72BO12* | H:720

1800

TC72BO18 | H:720

2100

TC72BO21 | H:720

2400

TC72BO24 | H:720

3600

TC72BO36 | H:720

4200

TC72BO42 | H:720

4800

TC72BO48 | H:720

5000

TC72BO50 | H:720

5400

TC72BO54 | H:720

ROUND

1200

TC72DI12* | H:720

1600

TC72DI16* | H:720
S-edge not in M6

DEPTH 1400 MM

2400

TC722414 | H:720

3600

TC723614 | H:720

4800

TC724814 | H:720

DEPTH 1200 MM
WALL MOUNTED

1200

TC72BO12W* | H:720
TC10BO12W** | H:1030

1800

TC72BO18W* | H:720
TC10BO18W** | H:1030

EFG COLLABORATE

with cable lids



BEVELLED EDGE

B5

A2

D4

HV

WOOD
NATURAL
BIRCH

WOOD
ASH
WHITE 2%

LINOLEUM
BLACK
NERO

HPL
WHITE

H-EDGE

DEPTH 900 MM

1800

2000

TC721890L | H:720
TC101890L* | H:1030

TC722090L | H:720
TC102090L* | H:1030

ROUND

1200

1600

TC72DI12L* | H:720

TC72DI16L* | H:720

DEPTH 1200 MM

1200

1400

1800

2100

2800

3600

4200

TC721212L* | H:720

TC721412L | H:720

TC721812L | H:720

TC72112L | H:720

TC722812L | H:720

TC723612L | H:720

TC724212L | H:720

4600

4800

5000

5400

TC724612L | H:720

TC724812L | H:720

TC725012L | H:720

TC725412L | H:720

1200

1800

2100

2400

3600

4200

TC72BO12L* | H:720

TC72BO18L | H:720

TC72BO21L | H:720

TC72BO24L | H:720

TC72BO36L | H:720

TC72BO42L | H:720

4800

5000

5400

TC72BO48L | H:720

TC72BO50L | H:720

TC72BO54L | H:720

DEPTH 1400 MM

2400

3600

4800

TC722414L | H:720

TC723614L | H:720

TC724814L | H:720

DEPTH 1200 MM
WALL MOUNTED

1200

1800

TC72BO12WL* | H:720
TC10BO12WL** | H:1030

TC72BO18WL* | H:720
TC10BO18WL** | H:1030

COLOUR SELECTION FOR EFG COLLABORATE LIDS

B5

A2

Z4

TN

TC

TD

TE

WOOD
NATURAL
BIRCH

WOOD
ASH
WHITE 2%

WHITE
LACQUER

ANTHRACITE
LACQUER

CORAL PINK
NCS S 2030-
Y60R

DUSTY GREEN
NCS S 4010-
G70Y

STEEL BLUE
NCS S 6010-
R90B

* U-shape metal, not available
** A-shape metal, not available



EFG HIDE TECH

EFG HideTech is a family of tables designed for the modern workplace where an increasingly large part of the work is done in the form of meetings. EFG HideTech is available with technology hidden inside the table but easily accessed from the desktop via the next generation of cable management. EFG HideTech is a new way of thinking.

- Table heights: 520, 720, 910 and 1100 mm.
- Available with plain top, with cable lids or cutouts with electrical inserts.

FRAME FINISHES

Z4

95

52

WHITE

POLISHED
ALUMINIUM

BLACK

EDGES

H · BEVELLED

S · STRAIGHT

EFG HIDETECH with plain tops

STRAIGHT EDGE

A2

WOOD
ASH
WHITE 2%

B5

WOOD
NATURAL
BIRCH

R5

WOOD
NATURAL
BEECH

D4

LINOLEUM
BLACK
NERO

HV

HPL
WHITE

MA

MFC
ANTHRA-
CITE

MB

MFC
NATURAL
BIRCH

MR

MFC
NATURAL
BEECH

ME

MFC
NATURAL
OAK

MV

MFC
WHITE

M6

MFC
LIGHT
GREY

DEPTH 700 MM

• 700 •

HID527070 | H:520
HID727070 | H:720
HID917070 | H:910
HID117070 | H:1100

DEPTH 800 MM

• 800 •

HID528080 | H:520
HID728080 | H:720
HID918080 | H:910
HID118080 | H:1100

DEPTH 900 MM

• 900 •

HID52DI90 | H:520
HID72DI90 | H:720
HID91DI90 | H:910
HID11DI90 | H:1100

STRAIGHT or BEVELLED EDGE

S-EDGE

M6

MFC
LIGHT
GREY

MV

MFC
WHITE

B5

WOOD
NATURAL
BIRCH

A2

WOODHPL
ASHWHITE
WHITE 2%

D4

LINOLEUM
BLACK
NERO

HV

HPL
WHITE

H-EDGE

DEPTH 700 MM

• 700 •

HID527070P* | H:520
HID727070P* | H:720
HID917070P* | H:910
HID117070P* | H:1100

• 665 •

HID52OR70* | H:520
HID72OR70* | H:720
HID91OR70* | H:910
HID11OR70* | H:1100

* S-edge not in M6

DEPTH 900 MM

• 900 •

HID529090P* | H:520
HID729090P* | H:720
HID919090P* | H:910
HID119090P* | H:1100

• 900 •

HID52DI90 | H:520
HID72DI90 | H:720
HID91DI90 | H:910
HID11DI90 | H:1100

* S-edge not in M6

• 1800 •

HID721890 | H:720
HID911890 | H:910
HID111890 | H:1100

• 2000 •

HID722090 | H:720
HID912090 | H:910
HID112090 | H:1100

DEPTH 1200 MM

• 1400 •

HID721412 | H:720
HID911412 | H:910
HID111412 | H:1100

• 1800 •

HID721812 | H:720
HID911812 | H:910
HID111812 | H:1100

• 2100 •

HID722112 | H:720

• 2800 •

HID722812 | H:720

• 3600 •

HID723612 | H:720

• 4200 •

HID724212 | H:720

• 4600 •

HID724612 | H:720

• 5400 •

HID725412 | H:720

• 1800 •

HID72BO18 | H:720
HID91BO18 | H:910
HID11BO18 | H:1100

• 2100 •

HID72BO21 | H:720
HID91BO21 | H:910
HID11BO21 | H:1100

• 2400 •

HID72BO24 | H:720

• 3600 •

HID72BO36 | H:720

• 4200 •

HID72BO42 | H:720

• 4800 •

HID72BO48 | H:720

• 5400 •

HID72BO54 | H:720

DEPTH 1200 MM
WALL-HUNG

• 1200 •

HID72BO12W | H:720
HID91BO12W | H:910
HID11BO12W | H:1100

• 1800 •

HID72BO18W | H:720
HID91BO18W | H:910
HID11BO18W | H:1100

24

EFG HIDETECH with cable lids

BEVELLED EDGE

B5

WOOD
NATURAL
BIRCH

A2

WOOD
ASH
WHITE 2%

D4

LINOLEUM
BLACK
NERO

HV

HPL
WHITE

H-EDGE

DEPTH 900 MM

• 1800 •

HID721890L | H:720
HID911890L | H:910
HID111890L | H:1100

• 2000 •

HID722090L | H:720
HID912090L | H:910
HID112090L | H:1100

DEPTH 1200 MM

• 1400 •

HID721412L | H:720
HID911412L | H:910
HID111412L | H:1100

• 1800 •

HID721812L | H:720
HID911812L | H:910
HID111812L | H:1100

• 2100 •

HID722112L | H:720

• 2800 •

HID722812L | H:720

• 3600 •

HID723612L | H:720

• 4200 •

HID724212L | H:720

• 4600 •

HID724612L | H:720

• 5400 •

HID725412L | H:720

DEPTH 1200 MM
SHAPED

• 1800 •

HID72BO18L | H:720
HID91BO18L | H:910
HID11BO18L | H:1100

• 2100 •

HID72BO21L | H:720
HID91BO21L | H:910
HID11BO21L | H:1100

• 2400 •

HID72BO24L | H:720

• 3600 •

HID72BO36L | H:720

• 4200 •

HID72BO42L | H:720

• 4800 •

HID72BO48L | H:720

• 5400 •

HID72BO54L | H:720

COLOUR SELECTION FOR EFG HIDETECH LIDS

B5

WOOD
NATURAL
BIRCH

A2

WOOD
ASH
WHITE 2%

Z4

WHITE
LACQUER

TN

ANTHRACITE
LACQUER

TC

CORAL PINK
NCS S 2030-
Y60R

TD

DUSTY GREEN
NCS S 4010-
G70Y

TE

STEEL BLUE
NCS S 6010-
R90B

25




EFG CHAT

EFG Chat is a wide family of pillar-stand tables for communication, small talk and informal meetings in common areas such as cafeterias, canteens, meeting rooms, the lobby or lounge. EFG Chat is flexible and easy to work with in many areas of the workspace and the tables are available in many different versions, low to high, and in choices of materials and colours.

- Table heights: 520, 600, 720, 910 and 1100 mm.


FRAME FINISHES



EDGES




STRAIGHT EDGE



DEPTH 700 MM	• 700 • TCH727070 H:720 TCH917070 H:910 TCH117070 H:1100	• 1200 • TCH721270 H:720 TCH911270 H:910 TCH111270 H:1100	• 1400 • TCH721470 H:720 TCH911470 H:910 TCH111470 H:1100	• 1600 • TCH721670 H:720 TCH911670 H:910 TCH111670 H:1100	• 700 • TCH52DI70 H:520 TCH72DI70 H:720 TCH91DI70 H:910 TCH11DI70 H:1100
DEPTH 800 MM	• 800 • TCH728080 H:720	• 1200 • TCH721280 H:720 TCH911280 H:910 TCH111280 H:1100	• 1400 • TCH721480 H:720 TCH911480 H:910 TCH111480 H:1100	• 1600 • TCH721680 H:720 TCH911680 H:910 TCH111680 H:1100	• 1800 • TCH721880 H:720 TCH911880 H:910 TCH111880 H:1100
DEPTH 900 MM	• 900 • TCH52DI90 H:520 TCH72DI90 H:720 TCH91DI90 H:910 TCH11DI90 H:1100				
DEPTH 1200 MM	• 1200 • TCH72DI12 H:720				

STRAIGHT or BEVELLED EDGE



ROUND AND SHAPED	<div><div>• 450 •</div><div></div><div>TCH60DI45* H:600</div><div>* S-edge not in M6</div></div>	<div><div>• 700 •</div><div></div><div>TCH52DI70 H:520 TCH72DI70 H:720 TCH91DI70 H:910 TCH11DI70 H:1100</div></div>	<div><div>• 700 •</div><div></div><div>TCH527070P* H:520 TCH727070P* H:720 TCH607070P* H:600 TCH917070P* H:910 TCH117070P* H:1100</div></div>	<div><div>• 703 •</div><div></div><div>TCH52OR70* H:520 TCH72OR70* H:720 TCH60OR70* H:600 TCH91OR70* H:910 TCH11OR70* H:1100</div><div>* S-edge not in M6</div></div>		
DEPTH 900 MM	<div><div>• 900 •</div><div></div><div>TCH729090P H:720</div></div>	<div><div>• 900 •</div><div></div><div>TCH52DI90 H:520 TCH72DI90 H:720 TCH91DI90 H:910 TCH11DI90 H:1100</div></div>	<div><div>• 1800 •</div><div></div><div>TCH721890 H:720 TCH911890 H:910 TCH111890 H:1100</div></div>	<div><div>• 2000 •</div><div></div><div>TCH722090 H:720 TCH912090 H:910 TCH112090 H:1100</div></div>		
DEPTH 1200 MM	<div><div>• 2100 •</div><div></div><div>TCH722112 H:720</div></div>	<div><div>• 2100 •</div><div></div><div>TCH72BO21 H:720</div></div>	<div><div>• 2100 •</div><div></div><div>TCH72BO12W H:720 TCH91BO12W H:910 TCH11BO12W H:1100</div></div>	<div><div>• 1800 •</div><div></div><div>TCH72BO18 H:720</div></div>	<div><div>• 1800 •</div><div></div><div>TCH72BO18V H:720</div></div>	<div><div>• 1200 •</div><div></div><div>TCH72DI12 H:720</div></div>



EFG IZI EFFECT CONFERENCE

EFG Izi Effect is a series of stationary workstations and conference tables which harmonize with our sit/stand desks. The table has metal frame with rectangular legs and T-foot.

- Manually height adjustable 610-900 mm
- The frame has adjustable beams between 1050-1930 mm, which is suitable for table tops 1200 or 2000 mm.


FRAME FINISHES




EDGES






STRAIGHT or BEVELLED EDGE





DEPTH 900 MM




DEPTH 1200 MM



DEPTH 1200 MM SHAPED



DEPTH 1200 MM WALL HUNG






EFG AVIA

Avia are tables suitable for conferences and meetings as they offer holes for cable access and are equipped with an integrated table tray hidden inside the legs for a clean appearance. Avia tables have a V-stand giving them a unique and interesting design.

- Table height: 720 mm
- The frame has integrated cable tray.



FRAME FINISHES



EDGES



STRAIGHT or BEVELLED EDGE





EFG AVEC

Avec consists of a family of simple, yet stylish meeting tables available in many different versions. The table tops can be found in most shapes and sizes making EFG Avec suitable for all kinds of environments. Some of the tables are foldable which is perfect for canteens and education areas where the need is there to rearrange from time to time and stack tables easily for short periods.

- Metal frame in black structure, dark grey structure or chrome
- Table height: 720 mm


FRAME FINISHES



EDGES



STRAIGHT EDGE



GOOD CONSCIENCE

Just like all of our products, our tables are designed and manufactured with minimal environmental impacts and in accordance with the established Nordic furniture eco-labeling. Components consist mainly of recyclable material, all wood is FSC certified, and we do not use any harmful chemicals.

SMART OUTLETS FOR MEETING TABLES

Easily accessible power, charging and cable access. Available options for outlets with EU standard sockets are presented below.

CUTOUT ITEM NO H01 - SINGLE 60 MM CUTOUT | CUTOUT ITEM NO H02 - DOUBLE 60 MM CUTOUT



QI CHARGER
BRUSHED ALUMINIUM (A29H37)



POWER DOT MIDI,
POWER AND USB
BLACK (A50B76), WHITE (A50B75)



POWER DOT MIDI,
POWER AND CABLE ACCESS
BLACK (A50B79), WHITE (A50B78)

CUTOUT ITEM NO H03 - SINGLE 80 MM CUTOUT | CUTOUT ITEM NO H04 - DOUBLE 80 MM CUTOUT




POWER DOT MAGIC HOLES
BLACK (A50B70), WHITE (A50B71)



POWER DOT USB / DATA
BLACK (A50B72), WHITE (A50B73)



POWER GROMMET TWIST ROUND
BLACK (A60B22), WHITE (A60B21),
SILVER (A60B20)



POWER GROMMET TWIST SQUARE
BLACK (A60B24), WHITE (A60B23),
SILVER (A50B57)

CUTOUT ITEM. NO. H05



POWER BOX (LID ONLY)
GREY (A30B48), WHITE (A50B67)*

CUTOUT ITEM. NO. H07



TABLE TOP S
BLACK (A50B36), WHITE (A50B35)
SILVER (A50B34)

CUTOUT ITEM. NO. H08



TABLE TOP L
BLACK (A50B33), WHITE (A50B32)
SILVER (A50B31)

How to order:

1. Select your preferred set of outlets, lids, and equipment
2. Specify the required cutout type (article no H01-H08)
3. Note the total number of cutouts the cutout type results in for your selected table
4. Order the total number of outlets needed for the selected table.

CUTOUT ITEM. NO. H05



BI-LID S (LID ONLY)
BLACK (A50B27), WHITE (A50B26)
SILVER (A50B25) *



BI-BOX S (BOX ONLY)
BLACK (A30B59), WHITE (A30B58)
SILVER (A30B57) *

CUTOUT ITEM. NO. H06



BI-LID L (LID ONLY)
BLACK (A50B30), WHITE (A50B29)
SILVER (A50B28) *







BI-BOX L (BOX ONLY)
BLACK (A50B17), WHITE (A50B16)
SILVER (A50B15) *

* Equipment for boxes are not included in item number, see EFG Pricelist for details.

STANDARD POSITIONING OF CUTOUTS (H01, H03, H05, H06, H07, H08)



SINGLE CUTOUTS ARE CENTERED ON THE TABLE TOP



Exception:
end tops in combinations, wall
mounted (eg video tables)

STANDARD POSITIONING OF CUTOUTS(H02, H04)

DOUBLE CUTOUTS ARE PLACED TO EITHER SIDE OF THE CENTRE OF THE TABLE TOP.



Exception:
EFG HideTech tops in combinations

e|F|G